



APPSEC  
EUROPE

# Using Third Party Components for Building an Application Might be More Dangerous Than You Think!

Achim D. Brucker

Fabio Massacci

Stanislav Dashevskiy



UNIVERSITY  
OF TRENTO - Italy

# Abstract

Today, nearly all developers rely on third party components for building an application. Thus, for most software vendors, third party components in general and Free/Libre and Open Source Software (FLOSS) in particular, are an integral part of their software supply chain.

As the security of a software offering, independently of the delivery model, depends on all components, a secure software supply chain is of utmost importance. While this is true for both proprietary and as well as FLOSS components that are consumed, FLOSS components impose particular challenges as well as provide unique opportunities. For example, on the one hand, FLOSS licenses contain usually a very strong “no warranty” clause and no service-level agreement. On the other hand, FLOSS licenses allow to modify the source code and, thus, to fix issues without depending on an (external) software vendor.

This talk is based on working on integrating securely third-party components in general, and FLOSS components in particular, into the SAP's Security Development Lifecycle (SSDL). Thus, our experience covers a wide range of products (e.g., from small mobile applications of a few thousands lines of code to large scale enterprise applications with more than a billion lines of code), a wide range of software development models (ranging from traditional waterfall to agile software engineering to DevOps), as well as a multiple deployment models (e.g., on premise products, custom hosting, or software-as-a-service).



# About Us



## Achim D. Brucker

- Senior Lecturer (Software Security), University of Sheffield, UK
- Software Security Consultant
- Until 12/2015: Security Testing Strategist at SAP SE, Germany

## Stanislav Dashevskyi

- PhD Student at the University of Trento and SAP SE, France



# Part I:

## Securing The Software Supply Chain or The Security Risk of Third Party Components



# Secure Software Development

Start of development



Release decision



Preparation

Development

Transition

Utilization

Training

Risk Identification

Plan Security Measures

Secure Development

Security Testing

Security Validation

Security Response

- Security awareness
- Secure programming
- Threat modeling
- Security static analysis
- Data protection and privacy
- Security expert curriculum

- Security Risk Identification and Management (SECURIM)
- Data Privacy Impact Assessment
- Threat Modeling

- Plan product standard compliance
- Plan security features
- Plan security tests
- Plan security response

- Secure programming
- Static code scan
- Code review

- Dynamic testing
- Manual testing
- External security assessment

- Independent security assessment


- Execute the security response plan



Source: SAP's Security Development Lifecycle (S<sup>2</sup>DL)


# Secure Software Development

## How We Used To Develop Software



- Very few external dependencies
- Full control over source code

## How We Develop Software Today



- Many external dependencies
- Only control over a small part of the source code

- Security awareness
- Secure programming
- Threat modeling
- Security analysis
- Data and privacy
- Security curriculum

Develop

S

Dev


Secure  
program  
static  
code r

y

se

se

# The Maintenance Challenge



- > 90% of customers are using the latest two releases
- > 50 % of customers are using releases older 10 years

Product	Release	EoL	Ext. EoL
Windows XP	2001	2009	2014
Windows 8	2012	2018	2023
SAP SRM	2006	2013	2016
Red Hat	2012	2020	2023
Tomcat	2007	2016	n/a

# Secure Software Development

Start of development



Release decision



Preparation

Development

Transition

Utilization

Training

Risk Identification

Plan Security Measures

Secure Development

Security Testing

Security Validation

Security Response

Identify

- Risk and
- Mitigation strategies of third-party software

Secure consumption of third-party software (API usage, etc.)

Assess secure consumption of third-party software

Third-party

- Bill of material
- Licensing
- Maintenance

Plan third-party specific

- security response
- security tests

Test secure consumption of third party software and act on found vulnerabilities

Monitor vulnerabilities of third party software and fix/upgrade vulnerable versions

- Security awareness
- Secure programming
- Threat modeling
- Security static analysis
- Data protection and privacy
- Security expert

- Identify Risk
- Plan product
- Plan security
- Plan security
- Plan security
- Plan security
- Threat


- Secure
- Dynamic testing
- Static testing
- Security
- Security

- Independent
- Security
- Security
- Security
- Security



Source: SAP's Security Development Lifecycle (S<sup>2</sup>DL)

# Inbound Process



# Types of Third-Party Software

	Commercial Libraries Outsourcing Bespoke Software	Freeware	Free/Libre Open Source Software (FLOSS)
	<ul style="list-style-type: none"> <li>Outsourcing</li> <li>SAP HANA</li> </ul>	<ul style="list-style-type: none"> <li>Jabra Device Driver</li> <li>NVIDIA Device Driver</li> </ul>	<ul style="list-style-type: none"> <li>Apache Tomcat</li> <li>JQuery</li> </ul>
<b>Upfront costs</b>	High	Low	Low
<b>Ease of access (for developers)</b>	Hard	Medium	Easy
<b>Modification of Source Code</b>	Depends on contract	Impossible	Possible
<b>Support contract</b>	Easy	Hard	Medium



# Types of Third-Party Software

	Commercial Libraries Outsourcing Bespoke Software	Freeware	Free/Libre Open Source Software (FLOSS)
		Device Driver Printer Driver	<ul style="list-style-type: none"> <li>• Apache Tomcat</li> <li>• JQuery</li> </ul>
Upfront costs			Low
Ease of access (for developers)			Easy
Modification of Source Code	Depends on contract	Simple	Possible
Support contract	Easy	Hard	Medium

**FLOSS is**

- Widely used in industry
- Offers possibility for self-maintenance
- Vulnerability data is available



# Data Sources

## Public

- **FOSS information repositories**
  - Open Hub (formerly Ohloh)
  - Core Infrastructure Initiative (CII) Census project
- **Public databases of vulnerabilities**
  - National Vulnerability Database (NVD)
  - Exploit Database website (ExploitDB)
  - Open Sourced Vulnerability Database (OSVDB)
- **Project data**
  - Coverity FOSS scan service
  - Source code repositories


## Internal

- Software inventory (e.g., Black Duck Code Center as used by SAP)




# FLOSS Usage At SAP

## Programming Languages



## Vulnerabilities (CVEs)



Based on the 166 most used FOSS components (as of autumn 2015)

# Part II:

## Security of Open Source Enterprise Frameworks or Assessing Risks and Planning Efforts of the Secure Consumption of FLOSS



# Inbound Process

- Scenario:
  - many FOSS libraries are shipped with many proprietary applications
- Legal issues
  - Identify licenses and check the compliance
- Security issues
  - Check FOSS for vulnerabilities



# What We Want


1. How many vulnerabilities will be published next year for component X?
2. How often do I need to ship a patch to fix a vulnerability caused by component X?




<https://www.flickr.com/photos/fimbrethil/4507848067/>




# Vulnerability Prediction?



Tomcat 6.x publicly known vulnerabilities (CVEs)



# Vulnerability prediction?




Alhazmi & Malaiya & Ray. *Data Applications and Security*, 2005  
Massacci & Nguyen. *MetriSec*, 2010

# Vulnerability prediction?


## Firefox public vulnerabilities

CVEs



# Vulnerability Prediction: Problems

- **There is not enough data**
- **Number of vulnerabilities depends on:**
  - Age of the project
  - Number of users
- **Sometimes you simply have no choice...**



# Understanding Factors Is More Critical Than Predictions

- **When will a vulnerability appear in a FOSS component?**
  - We do not know
- **Can we distinguish features of projects causing "problems" for consuming software?**
  - We use maintenance effort of proprietary consumers to denote "problems"
  - Does the "security culture" of FOSS developers make a difference?
  - Does it make a difference which main language/technology is used?




# Which Factors Are Interesting?

- **Collect all possible data, build a regression model to assess the impact of each factor**
- **Can we use all data that is available?**
  - Actual Total #LoCs of a component
  - Added Total #LoCs of a component
  - Removed Total #LoCs of a component
  - Changed Total #LoCs (added, removed, etc.)...




# Relationships Between Factors

LOCS\_TOTAL vs LOCS\_ADDED




Total current LOCs (log10 scale)

LOCS\_TOTAL vs LOCS\_REMOVED




Total current LOCs (log10 scale)

LOCS\_ADDED vs. LOCS\_REMOVED



Total added LOCs (log10 scale)

LOCS\_TOTAL vs LOCS\_EVOLUTION



Total current LOCs (log10 scale)



# Different Maintenance Models

- **60 products are using Apache Tomcat**
  - Requires a lot of expertise to resolve security issues
  - It makes more sense to have a team of Apache Tomcat experts around
  
- **2 products are using a small JavaScript library**
  - This does not require any major expertise
  - However, if a company ends up using large number of products for which only the “local” expertise exists, it may be problematic



# Centralized Security Maintenance

- Policy: dev. teams must select only components widely used and supported within a company
- A central team resolves vulnerabilities in all FOSS components and pushes changes to all consumers
- The security maintenance effort scales logarithmically with the number of products consuming a component

$$effort_i \propto \log(|vulns_i| * |products_i|)$$




# Distributed Security Maintenance

- Policy: each dev. team is free of selecting appropriate components
- Each team has to take care of security issues individually
- While this model should decrease the effort for organizational aspects (not considered by us), it adds up for the technical part of the effort

$$effort_i \propto |vulns_i| * |products_i|$$



# Hybrid Security Maintenance



# Part III:

## Practical Recommendations On Controlling Risk & Effort Of Using Third Party Components



# Strategies For Controlling Risks (1/2)

## Secure Software Development Life Cycle

- Maintain a detailed software inventory  
(Do not forget the dependencies)
- Actively monitor vulnerability databases
- Assess project specific risk of third-party components

## Obtaining components (or sources)

- Download from trustworthy sources  
(<https>, check signatures/checksums)



# Strategies For Controlling Risks (2/2)

## Project Selection

- Prefer projects with private bug trackers
- Evidences of a healthy/working SDLC
  - Documented security fixes/patches (no “secret” security fixes)
  - Documented security guidelines
  - Use of security testing tools



<https://www.coreinfrastructure.org/programs>



APPSEC  
EUROPE

# Strategies For Controlling Effort

## Secure Software Development Life Cycle

- Update early and often
- Avoid own forks  
(collaborate with FLOSS community)

## Project selection

- Large user base
- Active development community
- Technologies **you** are familiar with
- Compatible maintenance strategy/life cycle
- Smaller (in terms of code size) and less complex might be better



# Part IV:

## Conclusion



# Conclusion

**Do not waste time with unimportant questions!**

(Is FLOSS more/less secure as proprietary software)

Implement a secure consumption strategy:

- Risk assessment of third party consumption (at least security & licenses)
- Plan for the efforts of secure consumption
- Plan the efforts/costs for response and maintenance



# Conclusion

**Do not waste time with unimportant questions!**

(Is FLOSS more/less secure as proprietary software)

## Final advice:

- Accept that you can be hit by a “black swan” (e.g., heartbleed)
- If it happens:
  - Concentrate on understanding and fixing the issue
  - Understanding why you did not find the swan earlier should not be your first priority



# Thank you!

## Contact:

### **Achim D. Brucker**

Department of Computer Science  
University of Sheffield  
Regent Court  
211 Portobello St.  
Sheffield S1 4DP, UK

<https://de.linkedin.com/in/adbrucker>

<https://www.brucker.uk>

<https://www.logicalhacking.com>

[a.brucker@sheffield.ac.uk](mailto:a.brucker@sheffield.ac.uk)

### **Stanislav Dashevskiy**

University of Trento  
Scuola di dottorato in Informatica e Telecomunicazioni  
Via Sommarive, 14  
38123 Povo, Italy

<https://st.fbk.eu/people/profile/dashevskiy>

[stanislav.dashevskiy@unitn.it](mailto:stanislav.dashevskiy@unitn.it)



# Bibliography

- Stanislav Dashevskiy, Achim D. Brucker, and Fabio Massacci. *On the Security Cost of Using a Free and Open Source Component in a Proprietary Product*. In International Symposium on Engineering Secure Software and Systems (ESSoS). Lecture Notes in Computer Science 9639, Springer-Verlag, 2016.  
<https://www.brucker.ch/bibliography/abstract/dashevskiy.ea-foss-costs-2016.en.html>
- Ruediger Bachmann and Achim D. Brucker. *Developing Secure Software: A Holistic Approach to Security Testing*. In Datenschutz und Datensicherheit (DuD), 38 (4), pages 257-261, 2014.  
<https://www.brucker.ch/bibliography/abstract/bachmann.ea-security-testing-2014.en.html>
- Achim D. Brucker and Uwe Sodan. *Deploying Static Application Security Testing on a Large Scale*. In GI Sicherheit 2014. Lecture Notes in Informatics, 228, pages 91-101, GI, 2014.  
<https://www.brucker.ch/bibliography/abstract/brucker.ea-sast-experiences-2014.en.html>
- Achim D. Brucker. *Bringing Security Testing To Development: How To Enable Developers To Act As Security Experts*, OWASP AppSecEU 2015. <https://youtu.be/LZoz4cv0MAg>  
<https://www.brucker.ch/bibliography/abstract/talk-brucker.ea-owasp-sectest-2015.en.html>

